



WATER EQUIPMENT

**FRESH WATER CARRIERS
WASTE WATER CARRIERS**

HEATERS

PUMPS

FILLER CAPS

FILTERS

PUSHFIT FITTINGS

HOSES

TAPS

April 2012

RAINBOW CONVERSIONS

For all your motorhome needs

01945 585931

R V TANKS

Allows the installation of fittings where they are required. Lightweight, algae-free, non-toxic, tasteless and odourless.

45 Litre

Dimensions: 500 x 400 x 250mm £84.99



95 Litre

Dimensions: 750 x 400 x 350mm £99.99



55 Litre

Dimensions: 1075 x 300 x 200mm £89.99



60 Litre

Dimensions: 800 x 400 x 200mm £94.99




80 Litre

Dimensions: 700 x 395 x 295mm £99.99



Vehicle water tanks

VW T4 under centre of vehicle	13 gal	£159.99
Mercedes Sprinter o/side front	13 gal inc fittings	£159.99
Ford transit 2000 SWB FWD o/side front	12 gal	£159.99



There are lots of different tanks available, we do not stock them, but are happy to quote a price.


Fiamma 70 Litre Tank

It can be installed either vertically or horizontally.
Complete with outlet fitting.
700mm x 470mm x 240mm high



050135

£52.99



40 Litre Aquaroll

400 x 500mm

050610 £49.99

29 Litre Aquaroll

375 x 440mm

050600 £45.99

Both complete with handle & filler tube



Aquaflow Tank

7.5 gallon (34 litres)

22.5 x 32.5 x 47.5cm

350308 £52.99

10 gallon (45.5 litres)

22.5 x 45 x 47cm

350309 £57.99

Stepped inlet connection: 1 1/4 or 1 1/2 inch.

Outlet 3/8 inch internal thread bsp.



Aquarius Water Carrier

40ltr capacity water carrier, side opening for fitting mains adaptor & easy filling option, removable and collapsible handle for ease of storage, accommodates all types of submersible pumps. Supplied with filler tube & tap connector.

050680

£42.99



Fiamma Roll Tank 40 Litre

Portable 40ltr drinking water roll tank with easy grip handle & 2 large wheels that make transportation easy on gravel.

Easy cleaning wide cap.

050145

£58.99



40 L.

3,5 kg

81 cm

20 cm

41 cm



SunnCamp Roll Tank 40 Litre Fresh Water Buggy

Transports fresh drinking water easily, effortlessly and safely to your tent, caravan or motorhome without lifting.

- Collapsible steel handle for easy transportation/storage
- Rolls effortlessly over rough ground
- Rugged, hard wearing tyres give good grip and ground clearance
- Fully collapsible steel handle for space saving storage and transportation
- Ergonomic, soft touch handle
- Large side and top openings allow the use of most submersible pumps
- Strong moulded end carry handle
- Fill without removing the handle using the side opening
- Complete with filler tube cap and connector
- Inlet/outlet caps with retaining straps avoid loss
- Made from food grade, ridged, high density polyethylene
- Approx size: 46cm x 40cm
- Approx weight empty: 2.7Kg



AC38001


£39.99

Fiamma Roll Tank 23 Litre *fresh tank*

Convenient portable tank with total discharge cap. Compact size (fits through normal vehicle doors).

250160

£29.99



10 Litre Water Carrier With Moulded Handle And Tap

- Moulded handle
- On/Off Tap included
- Approx size: 32 x 22 x 28cm
- Capacity: 10 litres

AC36004 £10.99



23 Litre Water Carrier With Moulded Handle And Tap

- Moulded handle
- On/Off Tap included
- Approx size: 35 x 25 x 36cm
- Capacity: 23 litres

AC36005 £13.99



Water Container with spout and thread for on/off spigot (tap not included)

20 Litre	H425 x W345 x D170mm	00020	£9.99
10 Litre	H340 x W280 x D140mm	00010	£8.99
Water container tap		08100	£2.99

The neck sizes on both water containers are 45mm so they would take most submersible pumps.



25 litre Water Container

Size: H430 x W320 x D210. Neck size 50mm

051000 £9.99

25 litre Water Container With Tap

Size: H430 x W330 x D210

051020 £10.49



Collapsible Bottles

Collapsible water carrier made of heavy gauge supple low density polyethylene. Fitted with tap in screw cap, and carrying handle.

10 litre 26760 £5.49

15 litre 350290 £6.49



WASTE WATER TANKS & CARRIERS

Waste A Way

23 litre

H410 x W330 x D200mm
Internal diameter of cap
50mm

051360 £9.99



19 litre Waste Water Tank Kit

Includes 28mm hose
connection kit.
H170 x W460 x
D280mm


26750 £22.99



Fiamma Roll Tank 23 Litre waste tank

Convenient portable tank with
total discharge cap. Compact size (fits through
normal vehicle doors).

050165 £29.99



Waste Master Wheeled Waste Carrier

- Take waste water and toilet cassette to disposal in one trip
- Slides under most caravans
- Anchoring holes take the securing straps supplied to hold the cassette in place
- Rigid high density Polyethylene container
- Good balance when transporting
- Wheels and axle can be removed for easy cleaning and storage
- Bottom emptying outlet with cap retaining socket
- 38 litre full load filler and 30 litre low level filler for lighter loads
- The Wastemaster is 355mm wide x 1000mm long x 160mm min / 225mm max. deep (525mm wide over wheels)

051220 £58.99




Fiamma Roll Tank 40 Litre

40 litre waste tank with level indicator and
air release valve. Filling and discharging
are performed through a sanitary-flex
drain tube (not inc).

45° angle adapter for discharge is included

050145 £59.99



Waste Warrior - 40 Litre Waste Water Carrier

- 40 litre capacity waste carrier
- Sleek and stylish ergonomic design
- Slides under most caravans
- Cap retaining feature for top and bottom emptying outlets
- Easy to grip handle for added comfort and ease of use
- Made from rigid high density polyethylene
- Eye-catching and distinctive colour
- Securing straps included
- Extra wide high quality wheels spreads the load to enable smooth running on soft and uneven ground



Royal

At home out there

050690

£46.99

Waste Buggy - 40 Litre Waste Water Carrier

- Extra large front body cap for easy cleaning
- Inlet and outlet caps with retaining straps included
- Wheels and axle store in carrier body for easy transportation and storage
- Slide under waste tank, fits under most caravans
- Wide profile wheel to spread the load on soft and uneven ground
- Easy grip handle
- Approx size: 36 x 95 x 24 cm
- Approx. weight (empty) : 2.7kg



AC38000 £39.99

Kit Tank-Flex

Drain kit for waste tank composed by: one cap with level indicator, one flexible hose Ø 30 mm, it can be extended to 90cm. 23 W with threaded cap.

051415 £14.99



Kit Sanitary Flex

Flexible hose extendable 75cm, with two fittings, one for the connection with Roll-Tank 40W, Tank 21 W and Tank 18W and the other in stainless steel for an additional connection with the valve of your motorhome.

051420 £23.49




WATER HEATERS

Propex Malaga 4E 13 litre Gas & Electric Water heater

- **Large 13 litre capacity** - for longer washing and showering facilities
- **Efficient gas burner** - for faster warm up
- **750W element** - use on its own or with the gas burner for even faster hot water
- **Small flue terminal** - neat appearance outside the caravan
- **Safe** - combustion products are completely sealed from the caravan interior
- **Easy to fit and service** - all controls accessible at the rear of the unit
- **Electronic control** - turns on the heater at the flick of a switch and supervises burner operation
- **3 position switch** - for selecting either 'gas only' or 'gas & 230V'.
- **Automatic resettable overheat cut out**
- **Compact dimension** - more room to route pipework and ducting where necessary
- **Dimensions:** H250mm x W325mm x D445mm

Best Seller



£349.00

Carver cascade adapter plate

£9.99



Henry Water Heater

New replacement for the carver cascade water heater. 9 litres of hot water can be kept at 70 c, enough to power a shower or family washing and can be warmed up to temperature in less than 25 minutes. The Henry-GE is installed through the wall so that only the flue is visible from the outside. It has a slim shape for the narrowest of spaces, is easy to install and maintain. Most parts also compatible with the Carver Cascade GE, alleviating concerns in the future over parts availability. Please note that the burner module is not compatible with the carver wall switch and the carver burner module is not compatible with the Henry wall switch.

- Maximum water pressure 20 psi
- Capacity 9 Litres
- Temperature set at 70 °C
- Gas and 240V AC 830W
- Cowl size width 260mm x Height 275mm
- Tank size Width 210mm x Height 240mm x Length 545mm

£349.00



Propex Mains Powered 10 Litre Water Storage Heater

A new water heater designed especially for the Caravan and Motorhome market. A choice of mounting options and variable temperature setting ensures the right choice for your needs.

The increase in quality and availability of site 'hooks ups' means the need to have multi fuelled water heaters is no longer a necessity for a lot of campers. So pull up, hook up and switch on to ensure lashings of hot water will always be available with this mains powered water storage heater.

- The inner tank is made of super steel plate with wet enamel coating - very tough, very strong, resistant to corrosion and water scale, giving a long life.
- Ultra thick, Non-CFC Polyurethane Foam to prevent heat loss & reduce energy costs.
- Super compact design, novel and luxurious appearance, easy to mount in a bedbox, locker or under seat storage area.
- Temperature meter and adjustment knob.
- Multiple protection devices against, over temperature, over pressure and electricity-leakage.
- Choice of pipe connections and comes fitted with 3 pin plug for fast and easy installation



Temperature Gauge



Easy intuitive Controls




Multiple safety devices

Technical

Rated Voltage: 220V
 Rated Power: 900 W
 Rated Frequency: 50HZ/ 60HZ
 Rated Current: 4.1A
 Rated Pressure: 0.8MPa (116psi)
 Min Start-up Pressure: 0.05MPa (7psi)
 Rated Water Temperature: 75°C
 Fitted Socket: 250V, 16A
 Heating Efficiency: >90%

Mounting bracket has range of securing options and can be screwed to the wall or floor. Supplied water hose connector's gives options of 12mm push fit female fitting or adapter to 12mm barbed hose connector.



Model No.	Rated Volume	Product Size (mm)	Carton Size (mm)	NW (KG)	GW (KG)
DSZF15-LJ/10C1	10L	378x276x280mm	420x300x335mm	4.8	6.5

PMWH900 £194.99

Truma Therme TT2 Electric Water Heater

Ideal for caravans this 5 litre water boiler supplies hot water in a compact way. The water is heated by the hot air generated from the vehicles heating ducting (but also has an additional heater element).

This popular product was designed for the larger vehicle where space is at a premium. It uses the warm air from the blown air installation to convect warmth into the water. In addition it has a 300w electric heating element (230v) to enable the water to be heated using site electricity. If no blown air system exists, the Therme can also be installed on its own as an electric only water heater.

The Truma-Therme can heat 5 litres of water in a short time (approx. 50 min.) using the hot air from your heating system or using the 230 V / 300 W heating element.

- compact dimensions (L x H x W) 370 x 230 x 220 mm
- easy to install
- 5 litre water capacity
- water is heated by warm air distribution from heating system or using 230 V electrical heating element
- rapid heating time (approx. 50 min.)
- convenient and easy operation
- water is heated to 65°C under thermostat control
- can be used with all regular submerged pumps to maximum of 1.2 bar

Technical Data:

Power consumption: 300 W
 Operating pressure: 1.2 bar
 Weight: 2 kg (without water)



42013 £154.99

Truma Ultrastore 10 / 14 litre

Powerful gas water heater which can be independent of a mains electricity supply and can produce a large quantity of hot water. Water container made of stainless steel, high performance gas burner (1500 W), electrical heating 230V / 850W, short heating times, gas operation only: 34min approx, electrical operation only: 45min approx, gas & electrical operation: 25min approx, closed combustion system with wall flue, energy saving shut off & re-ignition, for all immersion & pressure pumps up to 2.8 b.

7340021 10 Litre, 10mm Flexi Hose version £429.99
7340022 10 Litre, 12mm JG Push Fit version £429.99
7341021 14 Litre, 10mm Flexi Hose version £469.99



truma
(UK) LIMITED

Morco D61E *instantaneous water heater*

Stylish design incorporating diverter hood. Automatic ignition and flame failure on all burners. Two burner control accommodates a wide variation of ambient water temperatures and can heat 6 litres of water in a minute. Safety features include a water spillage device and easy drain down. Specification: Gas type butane 28mbar, propane 37mbar, heat output 8.7kw, gas consumption 0.8kg/h, water pressure min 1 bar max 10 bar, connections: gas 15mm compression, water 15mm straight copper, weight 7.1kg, dimensions 573mm x 266mm x 190mm, flue size 83mm. This is a multi-point heater.

017570 £239.99

Morco F11E room sealed instant water heater £469.99
Flue for above £46.99



Rinnai Instantaneous Water Heater *including diverter* (REU58)

Highly efficient multipoint instantaneous gas heater. One push electronic system, flame failure device and low pressure cut out. Will heat water at a rate of 25 degrees C, rise in temperature per minute for each 5.1 litres delivered making this the ideal unit for use with a shower. Dimensions: 389mm (height) x 305mm (width) x 160mm (depth)

359926 £249.99



PRESSURISED WATER PUMPS

Automatic triple diaphragm self-priming pump with integral pressure switch. Triple diaphragm feature ensures smooth water flow. Will run dry without damage. Motor has internal circuit breaker for overload protection and are fully suppressed. Robust die cast alloy lower housing with twin ball bearing drive. These 12v pumps have low amp draw and are very quiet in operation. 1 angle and 1 straight hose connector supplied for 13mm diameter flexible hose.

SHURflo
First in Fluid Innovation

Shurflo Trailing 7

Suitable for low pressure water storage heaters such as the Henry or the Propex Malaga.

7 litre min, 20psi, 12 volt **044435** **£54.99**

Shurflo Trailing 7

Suitable for instantaneous water heaters such as the Rinnai or the Truma Ultrastore.

7 litre min, 30 psi, 12 volt **044440** **£56.99**
10 litre min, 30psi, 12 volt **053020** **£58.99**

Shurflo Trailing 10

10.6 litre min, 45 psi, 12 volt. **044350** **£69.99**



New improved 12v self-priming pump with built in pressure switch. Pump works automatically when water outlet is switched on and off. Aqua 8 will pump water vertically over 3m without priming. The pump is also resistant to limestone deposits and oxidation and is able to run dry without causing damage. New improved base plate with sound-absorbing feet that can be interchanged with previous pump models. 1 angle and 1 straight hose connector supplied for 13mm diameter flexible hose.

FIAMMA

Aqua 8

1.5 Bar 12v, 7ltr **043952** **£68.99**

Aqua 8

1.5 Bar 12v, 10ltr **043953** **£71.99**



Dometic PowerPump with Strainer **Dometic**

Dometic PowerPump pressurised water pump designed for boats, caravans and motorhomes. Created by comfort specialist Dometic, the pumps excel with their well thought-out practical features, their durability and extremely quiet running. Powerful in performance they make economical use of energy. DometicPower Pumps can run dry without damage and feature vibration absorbing mounts.

The Dometic PowerPump is self priming with an integrated pressure switch, which means they can be placed above the water tank. Their four-chamber diaphragm design ensures maintenance-free operation over the whole service lifetime. Thanks to a patented click system the pump strainer and the three different 1/2-inch hose connectors included are quick and easy to install. 12-volt pressurised water pump, 7 litres per minute, 1.4 bar. Dimensions: Length: 210mm x Width 105mm x Height 100mm. 1/2" straight hose connector, 1/2" 90° elbow hose connector, 1/2" threaded hose connector.

9107100051 **£59.99**

Fiamma A20 expansion tank

Eliminates the pulsating operation of the pressure switches and assists the flow of constant water at the required quantity. It extends the life of the pump and the boiler and cuts water consumption. It is pre-charged at 0.9 bars (13psi) but it can be charged with the special valve with a normal compressor so it can be adapted to all pressure pumps on the market.

044200 **£19.99**



SUBMERSIBLE & INLINE WATER PUMPS

COMET Elegant Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 8 litre / min
 Delivery height: max 5 metre (0.5 bar)
 Size: Diameter 38mm, Height: 104mm
 Power consumption: 15 - 24w
 Outlet: 10mm



13000100

£11.99

COMET Eco Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 10 litre / min
 Delivery height: max 7 metre (0.7 bar)
 Size: Diameter 38mm, Height: 120mm
 Power consumption: 15 - 25w
 Outlet: 10mm



013300200

£12.99

Whale GP1002 Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 10 litre
 2.4 amps/0.6bar
 Diameter: 36mm
 Height: 136mm
 Outlet: 10mm



341002

£12.99

Reich 'Easy' Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 14 litre
 Pressure: 0.5bar
 Diameter: 45mm
 Height: 108mm
 Outlet: 10mm



613214

£11.99

COMET Lux Plus Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 19 litre
 Delivery height: max 8.5 metre (0.85bar)
 Size: Diameter: 65mm, Height: 125mm
 Power consumption: 35 - 45w
 Outlet: 10mm



15307800

£18.99

Comet Geo Plus Submersible Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 18 litre
 Delivery height: max 10 metre (1.0 bar)
 Size: Diameter: 42mm, Height: 125mm
 Power consumption: 30 - 40w
 Outlet: 10mm



16307700

£19.99

Comet Geo Inline Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 14 litre
 Delivery height: max 7 metre (0.7bar)
 Size: Diameter: 42mm, Height: 125mm
 Power consumption: 15 - 25w
 Outlet: 10mm



17006300

£19.99

Reich Inline Booster Pump

Supply: 12v
 Cable length: 1 metre
 Delivery rate: 15 litre
 Size: Diameter: 46mm, Height: 142mm
 Power consumption: 10 - 20w
 Pressure: 0.5 bar
 Outlet: 10mm



26792

£22.99

Whale Inline Booster Pumps

- Simple, compact and low-cost pump
- Ideal for up two to three mixer outlets
- Boosts pressure in manual or electric pump systems
- Lightweight, fits unsupported into pipe work
- Fits neatly below water tank
- Pumps fresh, saltwater and diesel
- Low current draw and very quiet
- Operates with a micro-switch on Whale Elegance taps or with a separate switch

Hi-Flow 12v GP1392	351392	£22.99
Hi-Flow 12v GP1692	251692	£35.99
Premium 24v GP1394	251394	£23.99



Whale Submersible Pumps

- Self-venting design eliminates air locking
- Designed to be dropped into a water tank
- Simple, compact and low-cost pump
- Ideal for two to three hot/cold mixer faucet outlets
- Dual purpose manual/electric system
- Inexpensive way to update a manual to an electric system
- Pumps fresh, saltwater and diesel
- Low power consumption

Premium 12v **GP1352** 351352 £20.99

Premium 24v **GP1354** 251354 £27.99

Hi-Flow 12v **GP1652** 351652 £25.99



OTHER PUMPS

Whale V Pump MK6

Delivers up to 8 litres per min.
Spout projection: 125mm, Height:
90mm to 390mm, Base plate:
80mm x 32mm

350280

£29.99



Whale Tiptoe Pump

Fits neatly into the floor, self
priming, when not required
the plunger locks down flush
with the floor

350288

£22.99



Whale Gusher Galley Pump (RH or LH)

Self priming foot
operated pump.
Discharge on each
stroke, easy installation
above floor, inside or
outside locker

350284 **£41.99**



Whale Baby Foot Pump

Surface mounting, Self
priming foot operated
diaphragm pump, 8 ltrs
per min.
Width 100mm x Depth
140mm x Height 70mm

350338 **£21.99**



EP1312 Assy Plug-Hose Pump Premium 12v

Simple and convenient
way to couple water and
electrical connections for
the submersible pump to
outside water containers.
Pump and socket can be
disconnected for
travelling.

351312 **£31.99**



ACCESSORIES

Whale Non Return Valve

Useful with electric pumps
Hose Bore to fit: 13mm (1/2")

350283 White **£5.99**



Smev Angled Waste Fitting

Stainless Steel grating. Suitable for waste piping with 20mm inside diameter.

000250 **£6.99**



041100 1 1/4" waste outlet angled **£5.99**
041110 1 1/4" waste outlet straight **£5.99**

To suit 19mm waste hose. Requires a minimum hole of 40mm to a maximum of 50mm.



041060 3/4" waste outlet angled **£3.99**
041020 3/4" waste outlet straight **£3.99**

To suit 19mm waste hose. Requires a minimum hole of 23mm to a maximum of 34mm.



Shurflo Inline Strainer / Filter

1/2" bsp male one end, female the other. Fits directly onto shurflo pump



80998 **£7.99**



Shurflo Strainer

1/2" BSP female to 12mm barb. Connects directly to all Shurflo pumps

2815 **£7.99**



Shurflo Inline Strainer / Filter

Barb fittings to attach to 1/2" hose. Threads for connections to 1/2" female connectors

044269 **£9.99**



Comet Inline Water Micro Filter

A 10mm inline fitting Micro filter to help filter out potentially damaging particles from water systems.

F224 **£5.99**



Reich Uniquick Non Return Valve

Hose connection:
8/10mm flexi - 12mm
push fit



26796 **£7.99**



Reich Uniquick Non Return Valve

Hose connection: 12mm
push fit



054367 **£8.99**



Whale in-line Pressure Switch

Switches the pump on/off by detecting the change in pressure in the water system. Hose bore: 13mm (1/2")

350330 £20.99



Reich Pressure Switch

12v, easy to fit, simple 2 wire hook up, takes 10mm or 12mm hose, 0.4 bar, size: 95mm x 55mm.

26794 £19.99




WATER FILLER CAPS / INLETS & OUTLETS

Fiamma Water Filler Cap

Complete with 2 keys.

051600 Black £14.99

051602 White £14.99



Zadi Water Filler & Cap

Complete with 2 keys. Outlet to suit 40mm flexible pipe. Diameter of housing 120mm. 85mm diameter hole required in body panel to fit.

13620 Black £14.99

13621 White £14.99



Water Filler Cap

Elegant style /strong quality. Requires 90mm diameter hole

01-5688 White £18.99

01-5690 Black £18.99

Mains inlet to match also available.



Heoswater Connection (white)

Suitable for most water inlets (not Fiamma) Universal connection 1/2 " complete with garden connection 26718 £18.99

Heoswater Connection (blue)

Similar to above but for use with water tanks equipped without overflow valves 26719 £18.99



Inlet Hose Socket

Water hose inlet for 1/2 " ID hose.

042925 £4.99



Outlet Hose Socket

Water hose outlet for 3/4 " ID hose.


042930 £4.99



WATER FITTINGS

'Y' Hose connector

F651	3/8" (10mm)	£1.99
137839	1/2" (12mm)	£1.99
137842	3/4" (19mm)	£1.99



'T' Hose connector

3536	3/8" (10mm)	£1.99
137840	1/2" (12mm)	£1.99
137843	3/4" (19mm)	£1.99




Straight Hose Connector

35378	3/8" (10mm)	£1.99
137838	1/2" (12mm)	£1.99
137841	3/4" (19mm)	£1.99
137837	1/2" to 3/8"	£1.99



Hose Connectors - Right Angled

2068	3/8" BSP - 1/2" Barb	£2.99
2069	1/2" BSP - 3/4" Barb	£3.99
2070	1" BSP - 1 1/4" Barb	£4.99



Hose Connectors - Straight

2071	3/8" BSP - 1/2" Barb	£2.99
2072	1/2" BSP - 3/4" Barb	£3.99
2073	1" BSP - 1 1/4" Barb	£4.99



Drain Taps

Waste water drain tap commonly fitted on Swift / Bessacarr / Autotrail and many other popular brands of motorhome.

26856	3/8" BSP inner thread	£5.99
26853	1/2" BSP inner thread	£9.99
26850	1" BSP inner thread	£14.99



Skin Fittings

These skin fittings offer superior performance in many applications from diesel tanks to water outlets.

3552	1/2 inch BSP for 10mm or 13mm ID Hose	£3.99
2025	1 inch BSP for 20mm or 25mm ID hose	£5.99
2026	1 inch BSP with elbow for 20mm ID hose	£6.99
3554	1 1/2 inch BSP for 32mm or 38mm ID hose	£6.99



'Y' Connector

A 'Y' Piece connector to join 28mm push fit rigid pip together.

F616 £2.99



Reducing Adaptors

A reducing adaptor to ensure a good fit between 28mm rigid pipe and 20mm (3/4") Convuluted Hose.

F654 £2.59



<p>12mm Straight</p> <p>100116 £2.29</p> 	<p>12mm Elbow</p> <p>100132 £2.99</p> 	<p>12mm Tee</p> <p>100136 £3.29</p> 	<p>Reducing Straight</p> <p>100117 12-10mm £2.79 70135 15-23mm £3.59</p> 
<p>12mm Elbow Stem</p> <p>100134 £2.99</p> 	<p>12mm Stem - 3/8 or 1/2 BSP male</p> <p>3/8 128812 £1.49 1/2 128912 £1.79 (3/8 Fits Aquaflo)</p> 	<p>12mm Bulkhead</p> <p>12121 £4.99</p> 	<p>12mm - 1/2 BSP female</p> <p>100118 £3.59</p> 
<p>12mm - 1/2 BSP male</p> <p>881212 £3.99</p> 	<p>Whale 12mm - 3/8 BSP male</p> <p>W1213 £4.99 (Fits Aquaflo)</p> 	<p>12mm - 3/8" Flexi</p> <p>40060 £3.79</p> 	<p>15mm-1/2" Flexi</p> <p>150012 £2.29</p> 
<p>12mm 2-way Divider</p> <p>122424 £3.99</p> 	<p>12mm Plug</p> <p>100139 £1.99</p> 	<p>12mm Truma Non Return Valve</p> <p>121200 £8.99</p> 	<p>12mm Shut Off Valve</p> <p>031270 £8.99</p> 
<p>Whale Strainer</p> <p>15mm Male Outlet / 15mm Female Inlet</p> <p>0520 £11.99</p> 	<p>12mm Inline Filter</p> <p>With 12mm push fit fittings</p> <p>055294 £13.99</p> 	<p>Semi Rigid Blue</p> <p>12mm (OD), 9mm (ID)</p> <p>1200 £1.49 per metre</p> 	<p>Semi Rigid Red</p> <p>12mm (OD), 9mm (ID)</p> <p>1200 £1.49 per metre</p> 

<p>Flexi Reinforced Hose</p> <p>3572 Blue, 10mm 3573 Red, 10mm 041310 Blue, 12mm 041300 Red, 12mm</p> <p>All £1.59 per metre</p> 	<p>Waste Hose 19mm (3/4")</p> <p>26707 £1.99 per metre</p> 
<p>Filler Hose 40mm</p> <p>26708 £4.99 per metre</p> 	

COLD WATER TAPS

Elegance RT1010 Single Tap

Suitable for pressure or micro-switched (supplied) systems. Base diameter: 114 x 54mm with 86mm below surface. For use with 12mm semi-rigid pipework.



350285 £27.99



Telescopic swivel tap

Outlet swivels 360 degrees. For use with 10mm or 13mm flexi hose.



350281 £12.99

350337 with on/off valve £17.99



Tuckaway Swivel Faucet

For use with 10mm or 13mm flexi hose.

350293 £13.99

350345 with on/off valve £18.99



Reich Deluxe Single Tap

Complete with micro-switch, vertically swiveling spout. Hosetail: 1/2", Mounting hole: 21mm dia, Height: 40mm. Max pressure: 3 bar.



354100 Silver / Black £16.99
F240 White £16.99



Comet Novo Single Tap

Complete with micro-switch, vertically swiveling spout. Hosetails 3/8", Mounting Hole: 17mm diameter, Height: 32mm, plastic.



211101 Chrome effect £13.99
048100 Grey £12.99



Comet London Single Tap

Complete with micro-switch, vertically swiveling spout. Hosetail: 3/8" or 1/2", Mounting Hole: 22mm dia, Height: 40mm (turned up), plastic.



07-2205 £19.99



HOT & COLD TAPS

Reich Deluxe Mixer

Complete with micro-switch, vertically swiveling spout. Hosetails 1/2", Mounting holes: 21mm diameter, Hole centres: 75mm, Height: 40mm. Max pressure: 3 bar.

354101 Silver / Black £35.99
F245 White £33.99



Comet London Mixer Tap

Complete with micro-switch, vertically swiveling spout. Hosetails 3/8", Mounting Hole: 27mm diameter, Height: 40mm (turned up), plastic.

07-2221 £24.99



Comet Novo Mixer Tap

Complete with micro-switch, vertically swiveling spout. Hosetails 3/8" or 1/2", Mounting holes: 17mm diameter, Hole centres: 86mm, Height: 32mm.

211103 Chrome effect **£25.99**

048100 Grey
£24.99



Reich Mono - Mix Style 2005

Complete with micro-switch, vertically swiveling spout. Hosetails 3/8", Mounting Hole: 30mm diameter, Height: 40mm (turned up), Chrome effect plastic. Max pressure: 3 bar

354102

£34.99



Reich Single Lever Twist

Complete with micro-switch, vertically swiveling spout. For use with semi-rigid pipework. Mounting hole: 39mm diameter, Height: 41mm. Max pressure: 6 bar. Black / Matt Nickel

354105 R/H Spout

£54.99

354106 L/H Spout

£54.99



Elegance RT2010 Mixer Tap

Suitable for pressure or micro-switched (supplied) systems. Base diameter : 165 x 63mm with 86mm below surface. For use with 12mm semi-rigid pipework.

350286

£37.99



Comet 539 Florenz Taps

Single lever, micro-switched, spout length 190mm, requires a 34mm hole, height when fitted 40mm, hose tail (s) length 330mm.

239325 Mixer version to take 12mm flexi hoses

£44.99

209323 Mixer version to take 12mm JG push fit hoses

£44.99

236121 Single version to take 10mm flexi hose

£39.99

As fitted in **Smev** sinks & combinations



Reich Pelican Mixer Tap (micro-switched)

The spout can be rotated 360 degrees, 33mm installation hole fitment. For use with 12mm semi-rigid pipework. Chrome/matt chrome

354108 **£54.99**



Reich Kama Mixer Tap

The elegant design of this single lever mixer tap, with 360° swivelling spout, ceramic cartridge and micro-switch, means it blends in perfectly with any washroom or kitchen. Spout length 175mm. Requires a 27mm hole. For use with 10mm flexi hoses. Chrome effect.

F258 **£49.99**



Comet Roma Mixer Tap

With spray outlet, 360° swivelling spout, micro-switch, blends in perfectly with any washroom or kitchen. Spout length 175mm. Requires a 33mm hole. Nylon hose tails (330mm) for use with 12mm flexi hoses.

Chrome effect

275120

£44.99



Aravon Single Lever Basin Mixer

Overall height: 106mm
Body diameter: 40mm
Overall length: 140mm
(from centre of unit)
Complete with flexible
tails (L240mm)

35993

£59.99



Aravon Single Lever Galley Mixer Tap

Overall height 106mm, Body diameter 40mm,
Overall length 200mm (from centre of unit)
Complete with flexible tails (L240mm)

35992

£64.99



Single Lever Basin Mixer Tap

Overall height: 147mm, Body diameter: 44mm,
Spout length 210mm. Complete with flexible tails.

56637 £49.99



Single Lever Basin Mixer Tap

Overall height: 105mm, Body diameter: 44mm,
Spout length 95mm. Complete with 15mm copper
connections. (can use fitting 15mm - 12mm flexi)

002150 £29.99



Chrome plated brass single tap
04-3584 £14.99

Chrome plated brass mixer tap
04-3587 £29.99

Chrome plated brass shower mixer
(no head)
35882 £29.99

This takes a standard size shower
head, so that you can use any head of
your choice.



Smev AC537 Mixer Tap

Tap to suit all Smev sinks with a glass lid. Swivelling
spout. Hosetails 3/8" BSP male thread, Hole
centres: 58mm Mounting
Holes: 17mm diameter,
Height: 39mm (when
folded), Chrome finish.

91023

£74.99



Monolever Tap

Suitable for Smev sinks with a glass lid. Dual control
monobloc tap. Spout folds to either side giving maxi-
mum height of 40mm. Suits hole diameter
40-52mm. Chrome.

0182005

£59.99



SHOWER TAPS

Elegance RT2500 Shower Mixer Tap

Can be used as a normal tap or as a shower by fitting a wall bracket or riser bar. Shower head has separate on/off control. Retracting hose. For use with 12mm semi-rigid pipework.

350287 £59.99



Comet Roma Shower Mixer Tap & Retractable Hose

Adjustable chrome showerhead, micro-switched, nylon flexi hose (1.5m), mounting hole: 33mm diameter, height: 150mm, for use with 12mm flexi hose.

272720

£69.99



Comet Florenz Chrome Shower Mixer (without head)

Complete with 330mm tails to suit 12mm flexi hoses.

23852 £35.99



Aravon Single Hole Shower Mixer

Compact ceramic single lever shower finished in high quality chrome plated with adjustable spray on showerhead. (chrome, not white as in picture) Overall height: 124mm, Body diameter: 40mm, Hose length: 880mm.

35994 £79.99



Aravon Retractable Shower Mixer Unit

Clear handles and on/off with push button control on shower head, push pull nozzle to control spray. 13mm hose

3597

£64.99



External Shower Box (mixer)

Compact box (100 x 100) with non lockable flap. Shower flex 1.6m long

26814 £89.99



Bullfinch External Shower Point

External shower mixer point with showerhead assembly. Dimensions 105 x 110 x 90 (deep) mm

01712090 £43.99



Solar Shower 20 Litre

Made from durable PVC, the material absorbs the heat from the sun and heats the water inside, twist/pull action shower head, approx size: 60 x 41cm

50391 £5.99



Aquafresh Travel Shower

12v, for use with jerry can /water containers, includes a 8l/m pump, water hose with shower-head and power cord with 12v plug

26724 £19.99



CLEANERS

Thetford Toilet Bowl Cleaner

The thick concentrated formula of Toilet bowl cleaner coats the bowl for better cleaning & targets even hard to reach areas of the bowl, leaving a lovely fresh scent behind. 750 ml

054772 £5.99



Thetford Tank Cleaner

A powerful cleaning agent which cleans the inside of waste holding tanks. Freshens your tank & also removes the stubborn calcium deposits that collect on the moving parts & on the tank walls. 1 Litre

054777 £7.99



One Chem Exterior Cleaner

Cleans caked on dirt, removes winter algae & those hard to remove black streaks to give a clean, shiny, waxed finish. Special formula is anti-static helping to repel dirt & give more time between washes. 1 Litre

098092 £8.99



One Chem Interior Cleaner

Cleans stubborn stains, prevents mould & mildew & can be used to clean kitchens, bathrooms & other living area hard surfaces. Its safe for fridges, showers, toilets & sinks & leaves acrylic windows sparkling.

098093 £6.99



Dometic Tank Care

Additive for regular cleaning of waste holding tanks. Simply add it to the tank and let it work. For improved hygiene & a fresh scent in your bathroom. Economical dosing: only 150ml additive for cleaning. 475ml

00040 £5.99



Dometic Quality Care

This toilet bowl cleaner removes stains & scaling fast & effective. Specially developed for toilets made of china, vitreous china, fibreglass or similar high quality but can be used on common plastic toilets aswell. 475ml

00050 £6.99



Fenwicks Caravan Cleaner

Will easily remove black streaks, green algae, road traffic film, overwintering grime, diesel fumes etc. Suitable for cleaning aluminium, acrylic windows, fibreglass, GRP, ABS, decals, stickers, mastics & sealants. 1 Litre

358101 £6.99



Turtle Wax Original & Cloth

Hard shell shine car wax. Gently lifts away ingrained grime & light oxidation, leaving a brilliant deep gloss shine. Ideal for use on all finishes, including metallic & clear coats.

026336 £3.99



Simoniz 6 Piece Car Valeting Bucket

Wash & Wax 500ml
Max Wax 500ml
Screenies Interior wipes
Polishing cloth
Air freshener strawberry
Jumbo sponge

0000797 £19.99



Screenwash

Unipart 5 Litre USW1205
£4.99

Holts 1 Litre LOYSA1B
£1.49



Terms & Conditions of Trading/Ordering

1. Where cheques are accepted (deposits for building only), Please make all cheques payable to Rainbow Conversions Ltd
2. For all orders that involve building and /or fitting, a 30% deposit is required before work commences
3. All orders for parts or accessories must be paid for in full, prior to goods being dispatched or upon collection
4. All “special orders” must be paid for in full prior to goods being ordered from our suppliers. “Special” means goods not normally stocked or supplied by Rainbow Conversions Ltd.
5. All mail order goods are subject to our post and packaging charges.
6. All goods returned are subject to a 15% handling charge.
7. All goods remain the property of Rainbow Conversions Ltd until paid for in full.
8. All goods are subject to availability of stock.
9. All prices shown include VAT @20% unless otherwise stated.
10. Although we always attempt to meet quoted deadlines, we are unable to guarantee delivery/collection dates due to operational constraints.
11. Any building and/or fitting orders which are cancelled by the customer after work has commenced, but has not been completed will result in the automatic loss of the 30% deposit. Any costs incurred to Rainbow Conversions Ltd above the 30% deposit must also be paid. Any order which is cancelled before work has commenced a refund may be given at our discretion. Excluding any special order parts.
11. Every effort has been taken to ensure the accuracy of the contents of our brochure. However, the company cannot be held responsible for any errors that may occur.
12. Due to a constant effort to improve our range of products and our prices, we reserve the right to alter specifications and prices without notice.
13. Upon placing an order, you are agreeing to these terms and conditions.
14. All Mail Order parcels must be checked for damages before signing for them. If Damage occurs please mark ‘DAMAGED’ on the carriers consignment note before accepting the goods.
15. Failure to do this voids insurance claims against the carriers and we (Rainbow conversions ltd) will not be held responsible for damage to goods whilst in transit.
16. All damage, shortages or omissions must be reported to us within 3 working days.
17. E&O.E.
18. These terms and conditions and details in our brochure are subject to change without prior notice.
19. These terms and conditions do not affect your statutory rights.

How to find us

There is a link to a map on our website
www.rainbowconversions.co.uk

Rainbow Conversions Ltd

Unit 1, Algores Way
WISBECH
Cambs. PE13 2TQ

Tel : 01945 585931

